


NFκB-p65 (Phospho-Thr505) Antibody

- Catalog Number:** 11166-1, 11166-2
Amount: 50μg/50μl, 100μg/100μl
Swiss-Prot No. : Q04206
Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage/Stability: Store at -20°C/1 year
Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human NFκB-p65 around the phosphorylation site of threonine 505 (L-V-T^P-G-A).
Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.
Specificity/Sensitivity: NFκB-p65 (Phospho-Thr505) Antibody detects endogenous levels of NFκB-p65 only when phosphorylated at threonine 505.
Reactivity: Human, Mouse, Rat
Applications: IHC: 1:50~1:100
References: Baeuerle P A, et al. (1994) Annu Rev Immunol. 12:141-179.
Baeuerle P A, et al. (1996) Cell 87:13-20.
Haskill S, et al. (1991) Cell 65:1281-1289.



P-Peptide

-

+

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using NFκB-p65 (Phospho-Thr505) Antibody (#11166).